



PY-8011-6

### Smart Card Basic Function



### Smart Card Extensive Function



- ID MIFARE®
- & 304
- 10
- ≤5cm
- DC 6V 4AA
- < 30 uA
- < 200 mA
- 0.8
- < 0.1S
- 32-60
- 
- 
- 1
- OEM ODM
- Windows XP / 2000 / 2003/2007
- hassel USB

PY-8181

# HOTEL LOCK SYSTEM ONE-CARD-PASS



- 1. □□□□□□□□ □□qty = □□□---□□□□
- 2. □□□□1□/□□□---□□□□□□□□
- 3. Switch□qty = □□□---□□□□□
- 4. □□qty = □□□3□□---□□□□
- 5. □□□□□□1□/□□□□□□---□□□□□□□□□□□□□□
- 6. □□□□□□□□---□□□□□□□□□□

□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□





□□□□□□□□□□



## Accessories list reminder:



**1**  
Door Lock  
Software



**2**  
RF Card  
Reader



**3**  
Data Collector



**4**  
RF Card



**5**  
Gain Power  
Switch

## Please confirm door opening direction as below 4 types:

<p>Indoor</p> <p>Outdoor</p>	<p>Indoor</p> <p>Outdoor</p>	<p>Indoor</p> <p>Outdoor</p>	<p>Indoor</p> <p>Outdoor</p>
<b>right (push)</b>	<b>right (pull)</b>	<b>left (push)</b>	<b>left (pull)</b>

Welcome your inquiry