Tarjeta de sacador de la atención del tiempo de la máquina PY-S880

Parámetros:

Tarjeta Capacidad	10000
Capacidad de la transacción	50000
Plataforma de hardware	ZEM510
Comunicación	RS232 / 485, TCP / IP, USB-Host
Funciones estándar	Workcode, SMS, DLST, Programar-campana, pregunta del autoservicio, interruptor automático del estado, T9 entrada, identificación con fotografía, cámara, Web-servidor
Interfaz de control de acceso para	3rd cerradura parte eléctrica, sensor de puerta, botón de salida, alarma, puerta Bell
Señal de Wiegand	Entrada & amp; Salida
Funciones opcionales	ID / IC, Wi-Fi, GPRS
Visualización	3,5 pulgadas de pantalla TFT
Fuente De Alimentación	1.5A 12V DC
Temperatura de funcionamiento	0 ℃ - 45 ℃
Humedad de funcionamiento	20% -80%

Packing list
For time attendance device:
In addition to the device, this package includes the following items:
Printed documentation and software CD
AC adapter
Accessory package
ID card (only for device with RFID function)
For access control device:
In addition to the device, this package includes the following items:
Printed documentation and software CD
Accessory package
ID card (only for the device with RFID function)
Contents may vary depending on the device configuration.


TCP/IP
PC
RS232/485 Switch
USB
iclock680
Printer