[illegible]

[illegible]:

[illegible]: MIFARE® [illegible], ([illegible])
[illegible]: [illegible], ([illegible])
[illegible]: [illegible], ([illegible]



[illegible] 0.8 [illegible]
[illegible] & lt; 0.1s
[illegible] 32-60 [illegible]
[illegible]
[illegible], [illegible]
[illegible], [illegible], [illegible], [illegible], [illegible]
[illegible]: 1 [illegible] [illegible]
[illegible] OEM [illegible] ODM
[illegible] Windows XP / 2000 / 2003/2007
[illegible]

HOTEL LOCK SYSTEM
ONE-CARD-PASS
Door Lock
Management Software
Data collector
Card Reader
Gain Power Switch
RF Card
Hotel Lock

1□□□□□ □□□ □□□□□□□□□□□□□□□□ □□□ (□□□□ = □□□□□ □□□) --- □□□□□□ □□□□□ □□ □□□
2. □□□□□□□ (1 □□□□ / □□□□) --- □□□ □□□□□□ □□ □□□□□ □□□□ □□□□ □□ □□□
3. □□□□□ (□□□□□□ = □□□□□□ □□□□) --- □□□□□ □□□□ □□ □□□
4. □□□□□ (□□□□□□ = □□□□□ □□□□ □□ 3 □□□□) ----- □□□ □□□□□ □□ □□□
5. □□□□ □□□□□□□ (1 □□□□ / □□□□, □□□□□□□□) ----- □□□ □□ □□□□□□ □□□□□□□ □□ □□□ □□ □□□ □□□□□□□ □□□□ □□ □□□
6. □□□□□ □□□□□□ □□□□□□□□□ (□□: □□□□□) ---- □□□□□□□□□ □□ □□□□ □□□□□□ □□ □□□□□□□ □□ □□□□

□□□□□ □□□□□□ □□ □□□□□□ □□□□□□□□□□:

□□□□□ □□□ □□ □□□□□□□ □□□□□□:

PROYU
博诺

PROYU

□□□□□ □□□ □□ □□□□□□ □□□□□:

ups
TNT
FedEx
Express
DHL
CONTAINER SHIP

□□□□□□□□□□ □□□ □□□□□ □□□□□□□ □□ □□□□□:

深圳博诺宇科技有限公司
Shenzhen Proyu Technology Co., Limited
PROYU
EXHIBITION

Accessories list reminder:

Door Lock Software | RF Card Reader | Data Collector | RF Card | Gain Power Switch

Please confirm door opening direction as below 4 types:

right (push)	right (pull)	left (push)	left (pull)

[redacted]:

[redacted]

[redacted]

[redacted]

[redacted]

[redacted]

[redacted]