



Smart Card Basic Function

- A: MIFARE® Smart Card (USB interface, 13.56MHz, 1Kbit, 4Kbit, 8Kbit, 16Kbit, 32Kbit, 64Kbit)
- B: Temic Smart Card (USB interface, 13.56MHz, 1Kbit, 4Kbit, 8Kbit, 16Kbit, 32Kbit, 64Kbit)
- C: EM Smart Card (13.56MHz, 1Kbit, 4Kbit, 8Kbit, 16Kbit, 32Kbit, 64Kbit)

Smart Card Basic Function



Smart Card Extensive Function



Smart Card Thickness 0.8mm
 Response Time < 0.1s
 Frequency 13.56MHz
 Capacity 1Kbit, 4Kbit, 8Kbit, 16Kbit, 32Kbit, 64Kbit
 Customized Smart Card
 Applications: Access Control, Dining System, Sports System, Shopping System, etc.
 Price: 1 card 0.8-1.2 USD (depending on quantity)
 OEM or ODM
 OS: Windows XP / 2000 / 2003/2007
 Interface: USB, RS485, etc.

HOTEL LOCK SYSTEM ONE-CARD-PASS



1. 1pcs/lot (1lot = 100pcs) --- 1lot 100pcs 1lot 100pcs
2. 1lot 100pcs 1lot 100pcs 1lot 100pcs (1pcs/lot)---
3. 1lot (1lot = 100pcs) --- 1lot 100pcs 1lot 100pcs
4. 1lot (1lot 100pcs 1lot 100pcs 3 lot =) --- 1lot 100pcs 1lot 100pcs
5. 1lot 100pcs (1pcs/lot, 1lot 100pcs) --- 1lot 100pcs 1lot 100pcs 1lot 100pcs 1lot 100pcs 1lot 100pcs
6. 1lot (lot: 100pcs) --- 1lot 100pcs 1lot 100pcs 1lot 100pcs 1lot 100pcs 1lot 100pcs

1lot 100pcs 1lot 100pcs:



□□□□ □□ □□ □□□□□□ □□□□□□□□:



□□□□ □□□□ □□ □□ □□□□ □□□□□□:




□□□□ □□□□□□ □□ □□□□□□□□ □□ □□□□□:



Accessories list reminder:



Please confirm door opening direction as below 4 types:



□□□□□□□□ □□□□□□□□:

□□□□□ □□□□□□□□

□□ □□□□□□, □□ □□□□□ □□□□□□ □□ □□ □□□□ □□ □□ □□□□□□□□, □□ □□ □□□□□

□□□□□ □□□□□□□□

Elecator □□ □□□□ □□ □□ □□□□□□□□□□, □□ □□ □□□□□

□□□□ □□□□□□

□□□□□□ □□ □□□□ □□ □□□ □□□□□ □□□□□, □

Welcome your inquiry

□□□□ □□□□□□□□ □□□□ □□□□ □□□□□□□□□□□□