[illegible]:

[illegible]: [illegible] MIFARE® [illegible], ([illegible])
[illegible]: TEMIC [illegible], ([illegible])
[illegible]: [illegible], ([illegible])

[illegible]

1[illegible] zink [illegible] ([illegible])

2[illegible] ntellectual [illegible]

3[illegible]

4[illegible]

[illegible]:

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	≤15 μA
Card reading current	≤20 mA
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	>25mm
Working temprature	-20`C~70`C
Working humidity:	≤80%

[illegible]


13
12
14
11
9
8
3
a
b
c
5
2
1
6
4
17
10
15
16
7
Here's two arrows pointing the direction to be horizontal, and the lock cylinder cover on the arrow on the upper, non-vertical point!
Attention! ! !

□□□□□ □□□□□□ □□ □□□□□□□□□□

EC Certificate of Conformity
EMC

Verification of Conformity
FCC

Certificate of Conformity
RoHS

□□□□□ □□□□□□ □□ □□□ □□□□ □□□□□

□□ock □□ □□□□□□□□□□ □□□ □□□□□

- □□□□□□□□□ (□□□□□□□□□□ □□□□□□□ □□□□ □□ □□□), □□□□□ □□□□□□, □□□□□, □□□□ □□ □□ □□□□□□ □□□□□□ □□□ □□□□ □□□ system..as □□□□ □□ □□□ □□□□□, □□□□ □□□□□□□ □□□□□ □□ □□□ □□ □□□□ □□, one.Also □□ □□□□ □□□□

- □□□□□□□□□ □□□□□ □□□ □□ □□ □□□ □□□□□□□ □□ □□□□□□

- □□□□□□□□□ □□ □□□ □□, □□ □□□□ □□□ □□ □□□□□□□ □□□□ □□ □□□□□ easily..and □□□□ □□ □□□□□□□□ □□□, □□□□ □□ □□□□□□□□□□□ □□□□□□ □□ □□□ □□□□ □□□□□ □□□□□ □□□□□

- □□ □□□ □□□□□□ □□ □□□ □□□□□□ □□□□□ □□□□□□□ □□□□ □□ □□□ □□□□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□, □□□□ □□□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□□, □□□□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□

- □□ □□□□□□□ □□ □□□ □□□, □□ □□□□□□□□□□ □□ □□□ □□□□□ / □□□□□ / □□□□□□□ □□□□□□□ □□□□□□□ □□ □□□□ □□□□

- [illegible]


RF card
RF card reader
(used for issuing room card to guests)
Data collector
opening the door with RF card
collect opening records from hotel lock