

/ 3-6 00 000 000 000000 0000000000 0000000000 000000 000  
 0000000: 00000000 000000 00000000 00000000, 000000 00 & 00000 000000 0000  
 00000000 000000, 000000 0000000000 00000000 00 00000

0000000000:  
 000 000000000 000: 000000000000, MIFARE® 000000, 00000000 000000, 000000 00000000 000000 (0000000000)  
 000000 00 00000000 00 000000 00 000000 00 0000 00000000  
 00000000: 120 00000000000000 00 120 000000  
 000000 00 00 0000 0000 000000 0000 0000000000 00000 00000000 00000 00000 0000  
 000000 000000 0000 0000000000 00 0000 00000 0000000000  
 0000 00000000 00 0000 0000000000 00000000 00 0000 000000000000 0000000 00000 00 00000 00  
 000000000 00 0000000000 modularized 00000  
 0000 308000000 00 0000 000000 00  
 00 000000000 00000000 (4.8 00 00 00)  
 0000 000000 00 000000 00000000 00000 00 00 00000000000 0000000 00 000000000 00 000000 00000 00 00000 00

00000000 00000000:

000	PY-U3-6
00000000 - 0000 00000000	0.30000 000000000, 0000 CMOS
0000000 00000000	500 0000000
0000000 0000 00 0000000 0000000000	00 20 00000000000 00000 00 00 4H 00000000 00 0000 1000 00000 0000000 00 0000 0000000 000000 00000
000000000 0000	& LT; 1 0000000
000000000 0000	1: 00
FRR	≤1%
0000	≤0.0001%
000000 00 00000000 00 0000 0000	0000 00 0000
0000000000000000000000 00000000 00000	00 00000000000000000000000 00000000 000000 00 0000 00 0000 00000000 0000000
0000000000000000000000 00000	00000 0000 00 0000000000
00000000000000000000000 0000	0000 0000000000 0000000000000000 0000000000000 00 00000000000 0000 00 0000000 000000
0000000000 00000000	00000000 120 0000000000000
00000000 0000	& Lt; 20UA (00000000000) & Lt; 120UA (0000000 00000000000) & Lt; 220UA (0000000 00000000000 00 0000000 0000000000)
00000000 0000	& LT; 200mA
00000000000 00000000	4 00 0000000000 00000000, 00000 6V
0000000 00000	00000 10,000 0000
000000 00 000000000	4 00 000000000 0000000 / 6V ~ 9Vexternal 000000 00 000000000
00000000 00000000	-10 0000000 0000000000 ~ 55 00000000 0000000000
00 000000000 00000000	& LT; 4.5V

000000 00000000 00:

0000000000000000 00000000 00000000 00000000











