

## Hoge DB 8 inch Alarm Bell

Kenmerken en voordelen:

- \* Compatibel met alle conventionele brandalarm
- \* Bedieningspaneel
- \* Hoge geluidsniveau tot 95dB
- \* Eenvoudige installatie baracket opgenomen
- \* Steel materiaal

Plaats van herkomst	Guangdong, China (Vasteland)
Merknaam	Proyu
Model Number	PY-JL188-8
Productnaam	Noodklok
Afmeting	200x200x65mm
Temperatuur bij gebruik	-10 ° C tot 50 ° C
Relatieve luchtvochtigheid	10% tot 93% relatieve vochtigheid, niet-condenserend
Systeem (nominaal)	24 VDC (16V ~ 30VDC)
Alarm Actueel	70 mA @ 24 VDC
Alarm Sound Intensiteit	Minimum 95dB





## ALARM BELL

### Install Item

1. Before install please detail reading the specification.
2. Install the bell according to fire standard height.
  - Firstly open the bell cover screw, then screw the bell cover, according to the direction of the figure 1.
3. Firstly put the plastic base to fit on the bell, pay attention the strike pin to enter same, see figure 2.
4. Switch on\*\*according to red line, the type of the stack line with on\*\*\*, switch on DC24 power.
5. Finally installed bell cover, and tighten up a screw to it.