



rfid access control system, Multi-language Attendance machine wholesale, Keyless door lock china

304 Stainless steel electronic door lock system for hotels PY-8181

Card Type ID, TEMIC, MIFARE®
Lock Matrial Front&back&handle 304 stainless steel
Card Life 10 years
Inductive distance ≤ 5cm
Power Supply DC 6V , 4pcs of AA alkaline batteries
Static Power consumption < 30 uA
Dynamic power consumption < 200 mA
Single operation 0.8 seconds
Card read time < 0.1s
Install door thickness 32-60 mm
Facial color Can be customerized
package includes complete lock,software and demo video
Language support Chinese, English, Portuguese,Turkish,Russian
Warranty: 1 year warranty
Service OEM or ODM
Compatible network Windows XP / 2000 / 2003/2007
Technology advanced hassel USB technology

Model PY-8181

1.electronic door lock system Lock (qty = guest room)---For open the door
2.Encoder (1pcs/hotel) ---For issuing all kinds of cards
3.Switch (qty = guest room)---To get the power
4.Cards (qty = 3 times of guest room)-----For open the lock
5.Data collector (1pcs/hotel, optional)-----For getting the time and times of the entrance information from the lock
6.Self developed software (free of charge)----For setting the program the whole system.

Our careful and fabulous workers:

Our happy and contented customers:

Our fast and prompt delivery:

Our confidence and success in exhibition:

Accessories list reminder:

Door Lock Software

RF Card Reader

Data Collector

RF Card

Gain Power Switch

Please confirm door opening direction as below 4 types:

			
right (push)	right (pull)	left (push)	left (pull)

Welcome your inquiry