Cartão de perfurador do comparecimento do tempo da máquina PY-S880

Parâmetros:

Cartão Capacidade	10000
Capacidade da transação	50000
Plataforma de Hardware	ZEM510
Comunicação	RS232 / 485, TCP / IP, USB-host
Funções Comuns	Workcode, SMS, DLST, sino-agendadas, Self-Service Query, interruptor automático de Status, T9, foto-ID, Camera, Web-servidor
Access Control Interface para	3rd bloqueio partido elétrico, sensor de porta, botão de saída, alarme, Campainhas
Wiegand Signal	Input & amp; Saída
Funções opcionais	ID / IC, Wi-Fi, GPRS
Exibição	3,5 polegadas TFT tela
Fonte De Energia	12V DC 1,5A
Temperatura de operação	0 ℃ - 45 ℃
Umidade de Operação	20% -80%

Packing list
For time attendance device:
In addition to the device, this package includes the following items:
Printed documentation and software CD
AC adapter
Accessory package
ID card (only for device with RFID function)
For access control device:
In addition to the device, this package includes the following items:
Printed documentation and software CD
Accessory package
ID card (only for the device with RFID function)
Contents may vary depending on the device configuration.


TCP/IP
PC
RS232/485 Switch
USB
iclock680
Printer