

## Посещаемость времени машина перфораторной карты PY-S880

### Параметры:

Карта Емкость	10000
Емкость транзакций	50,000
Аппаратная платформа	3ЭМ510
Коммуникации	RS232V485, TCP/IP, USB-хост
Стандартные функции	Workcode, SMS, DLST, расписанию Белл, самообслуживания запроса, автоматическое переключение статуса, T9 input, фото ID, камеры, веб сервер
Интерфейс для управления доступом	3RD партия Электрический замок, датчик двери, кнопка выхода, сигнализация, дверной звонок
Wiegand сигнал	Ввод и вывод
Дополнительные функции	ID/IC, Wi-Fi, GPRS
Дисплей	3,5 дюйма TFT экран
Источник питания	DC 12В 1, 5А
Рабочая температура	0 °C-45 °C
Относительная влажность	20% - 80%

### Поставщик:

[Посещаемость времени WiFi Temic карточка компании, многоцветные отель keycard замок завод, Многоцветные посещаемость машина Оптовая](#)





### Packing list

#### For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

#### For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

