


Keyless Access System

Smart Card Basic Function



Smart Card Extensive Function



1. 晶片: TEMIC, MIFARE®  
 2. 晶片: Mifare 1K / 304  
 3. 晶片: 10 晶片  
 4. 晶片: ≤ 5 晶片.  
 5. 晶片: DC 6V, 4pcs AA 晶片  
 6. UA < 30 晶片  
 7. 晶片: < 200 mA  
 8. 晶片: 0.8 晶片  
 9. 晶片: < 0.1 s  
 10. 晶片: 32-60 晶片.  
 11. 晶片: customized 晶片  
 12. 晶片: 晶片 晶片  
 13. 晶片: 晶片 晶片 晶片 晶片  
 14. 晶片: 晶片: 晶片 1 晶片  
 15. 晶片: OEM 晶片 ODM  
 16. 晶片: Windows XP / 2000 / 2003/2007  
 17. 晶片: hasel USB 晶片

晶片 PY-8505



XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX:



XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX:



XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX:



## Accessories list reminder:



**1**  
Door Lock  
Software



**2**  
RF Card  
Reader



**3**  
Data Collector



**4**  
RF Card



**5**  
Gain Power  
Switch

## Please confirm door opening direction as below 4 types:

<b>right (push)</b>	<b>right (pull)</b>	<b>left (push)</b>	<b>left (pull)</b>

Welcome your inquiry