

RF RF ID card reader:

: Mifare ® Mifare 1K/Mifare 1K (USB Mifare 1K/Mifare 1K)

B: Temic Temic 1K/Temic 1K (USB Temic 1K/Temic 1K)

C: EM EM 1024/EM 1024 (USB EM 1024/EM 1024)

RF ID card reader

1 RF ID card reader Zink (USB RF ID card reader) RF ID card reader

2 RF ID card reader RF ID card reader RF ID card reader RF ID card reader RF ID card reader


3 RF ID card reader RF ID card reader RF ID card reader RF ID card reader

4 RF ID card reader RF ID card reader

RF RF ID card reader:

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	≤15 μA
Card reading current	≤20 mA
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	>25mm
Working temprature	-20`C~70`C
Working humidity:	≤80%

RF ID card reader



Attention!!! Here's two arrows pointing the direction to be horizontal, and the lock cylinder cover on the arrow on the upper, non-vertical point!





LOCK

- (), , one.Also system..as

-

- easily..and

-

- / /

-



RF card



RF card reader
(used for issuing room card to guests)



Data collector



opening the door with RF card



collect opening records from hotel lock

proyu.en.alibaba.com