

**RF**

A: Mifare® (USB)

B: Temic (USB)

C: EM (USB)

**Power**

1 Zink (alkaline battery) 4 pieces

2 intellectual property


3

4

**Technical**

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	$\leq 15 \mu\text{A}$
Card reading current	$\leq 20 \text{mA}$
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	$>25\text{mm}$
Working temprature	-20`C~70`C
Working humidity:	$\leq 80\%$

**Other**



Attention!!!

Here's two arrows pointing the direction to be horizontal, and the lock cylinder cover on the arrow on the upper, non-vertical point!

□□□□□□□□□□□□□□□□



□□□□□□□□ □ □□□□□□□□□□□□□□□□□□□



**LOCK** [unclear]

- [unclear] (unclear), [unclear], [unclear], [unclear] one.Also [unclear]  
[unclear], [unclear] system..as [unclear]

- [unclear]

- [unclear] easily..and [unclear]  
[unclear], [unclear]

- [unclear]  
[unclear]

- [unclear] / [unclear] / [unclear]

- [unclear]  
[unclear]



**RF card**



**RF card reader**  
(used for issuing room card to guests)



**Data collector**



opening the door with RF card



collect opening records from hotel lock