[illegible] / [illegible] RF [illegible] PY-8831-Y

[illegible]:

[illegible] MIFARE® [illegible] MIFARE® [illegible] 1K [illegible] MIFARE® [illegible] [illegible]-Card-Pass [illegible] [illegible] [illegible] wil [illegible] [illegible] MIFARE® [illegible] Paking [illegible] [illegible], [illegible] [illegible] MIFARE [illegible]® [illegible]

[illegible]:

1. [illegible]: MIFARE® [illegible]
2. [illegible] MIFARE® [illegible] / [illegible] MIFARE® [illegible]
3. [illegible] 2 [illegible] 200 [illegible]
4. [illegible] 1 [illegible] 50 [illegible]
5. [illegible] 12 [illegible]
6. [illegible]
7. [illegible]
8. [illegible]
9. [illegible] [illegible]

[illegible]:

1. [illegible]: 6.0V (4 [illegible] 5)
2. [illegible]: & lt; 100µA
3. [illegible]: & lt; 200mA
4. [illegible]: 10 [illegible]
5. [illegible]: 4.5V
6. [illegible]: & gt; 25mm
7. [illegible] temprature: 0 ° C-70 ° C
8. [illegible]: ≤80%

[illegible]:


13
12
14
11
9
8
a
a'
b
b'
c
c'
3
2
5
1
7
6
4
17
10
15
16
Here's two arrows pointing the direction to be horizontal, and the lock cylinder cover on the arrow on the upper, non-vertical point!
Attention! ! !

[illegible] ([illegible])


Left Hand / Push
A
Right Hand / Push
B
C
Left hand / Pull
D
Right hand / Pull

[illegible]:


22.7
75
260MM
6MM
42MM
32MM