

PY-8908

Specifications:

1. ...
2. ...
3. ... 120 ... " ... " (... 10 ...), " ... " (... 90 ...) ... " ... " (... 20 ...) ... 11 ...; ... "0", "1", "2" ... "3" ... "0" ... "12312312312"
4. ... deadbolt ...
5. ...
6. ... 3 ...
7. ... PCB ... PCB
8. ...
9. ... Passage ...
10. ... deadbolt ...
11. ...
12. ... IC ... 4 ...
13. ... 6V ~ 9V ...
14. ...
15. ...
16. ...
17. ...

Specifications:

1. ... 11 ...
2. ... 120
3. ...
4. ...
5. ...
6. ... 1 ...
7. ... - 1: N
8. $FRR \leq 1\%$
9. $FAR \leq 0.0001\%$
10. ...
11. ... CMOS ... 30 ...
12. ... DPI: 500 DPI
13. ... 4H 1000 ...
14. ... 40µA
15. ... 200µA
16. ... 1.5 ... 4 ... 6V
17. ... 10,000 ...
18. ... AA ... 4 ... 6V ~ 9V
19. ... 4.5V
20. ... 0.5 ...
21. ... 5 ...
22. ... -10° C ~ 55° C
23. ... 10 ~ 98% RH
24. ... -10° C ~ 50° C
25. ... 45-85% RH

Specifications:











